



## Bonding of MonoPan®

Secure, flexible bonding  
with Sabatack®



a strong bond



## MonoPan®

EN

We have developed a bonding system together with the internationally known manufacturer of MonoPan® lightweight construction panels to bond MonoPan® (polypropylene) elastically in a secure and weather-resistant way.

NL

Samen met de fabrikant van de wereldwijd bekende lichtgewicht panelen MonoPan® hebben wij een lijmpsysteem ontwikkeld om MonoPan® (polypropyleen) op een veilige en weerbestendige manier elastisch te verlijmen.

DE

Zusammen mit dem Hersteller der weltweit bekannten Leichtbaupanale MonoPan® haben wir ein Klebesystem entwickelt, um MonoPan® (Polypropylen) sicher und witterungsbeständig elastisch zu verkleben.

PL

Wspólnie ze znany na całym świecie producentem lekkich paneli konstrukcyjnych MonoPan® opracowaliśmy system łączenia, który umożliwia elastyczne łączenie paneli MonoPan® (polipropylenowe) w sposób zapewniający bezpieczeństwo i odporność na trudne warunki atmosferyczne.

## Sabatack® range

### MS polymer adhesives and sealants

Sabatack® 720 → sealing & bonding

Sabatack® 750 → bonding & sealing

Sabatack® 750 XL → bonding & sealing, extended skin time

Sabatack® 780 → bonding with high green strength & sealing

Sabatack® 785 XL → bonding with very high green strength & sealing, extended skin time

Sabatack® 790 → quick bonding & sealing

### Bonding of MonoPan® with Sabatack® Directions for use

## MonoPan®



Step 1

Clean with Sabaclean 48

Step 2

Prime with SABA Primer 4518  
(with raw MonoPan®) or SABA Primer 9002  
(with primed or painted MonoPan®)

Step 3

Bond with Sabatack® 720 to Sabatack® 790



## SABA adhesives & sealants

### SABA Dinxperlo

+31 (0)315 65 89 99

### SABA Vertrieb und Anwendung von Chemiewerkstoffen GmbH

+49 (0)2871 29 24 00

### SABA Polska

+48 (0)61 664 51 25

[transportation@saba-adhesives.com](mailto:transportation@saba-adhesives.com)

[www.saba-adhesives.com](http://www.saba-adhesives.com)

Follow us on:

Our recommendations and instructions for use are based on current knowledge and the present state of the art. Customers and users should evaluate our products by themselves, with regard to their required utilization and other requirements. We accept no responsibility in case our products are not being used as per our recommendations and/or instructions for use. Our general terms and conditions apply to all requests, instructions for use, quotations, orders, and agreements. These general terms and conditions have been filed with the Arnhem Chamber of Commerce under number 09065419 and can also be consulted on our website [www.saba-adhesives.com](http://www.saba-adhesives.com). On your request, a copy of these terms and conditions will be sent free of charge. The general terms and conditions incorporate a limitation of SABA Dinxperlo BV's liability, as well as the choice of Netherlands law as the applicable law and choice of the courts of the Netherlands as the forum. Any disputes ensuing from or relating to requests, instructions for use, quotations, orders, and agreements of SABA Dinxperlo BV must be brought before the competent court in the district where SABA Dinxperlo BV is based.